

L Number	Hits	Search Text	DB	Time stamp
1	30	gateway near2 load adj balanc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 10:35
2	216	(redund\$ back\$1up stand\$1by) adj router	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 10:43
3	38	((redund\$ back\$1up stand\$1by) adj router) and (encrypt\$3 cryptograph\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 10:37
4	2	5,473,599.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 10:37
5	3	((redund\$ back\$1up stand\$1by) adj router) and security adj association not (((redund\$ back\$1up stand\$1by) adj router) and (encrypt\$3 cryptograph\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 10:44
8	5	security adj association near (switch\$3 chang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:11
9	4	sequence adj number adj limit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:12
10	11	assign\$3 near2 range near2 (sequence index) adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:15
11	40	(sequence index) adj number with less with maximum	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:15
14	75368	709/("249" "228" "221").ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:04

15	75368	709/("249").ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:04
16	779	709/249.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:04
17	1086	709/228.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:04
18	752	709/221.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:04
19	1913	709/249.ccls. 709/228.ccls. 709/221.ccls. and encrypt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:05
20	58	(709/249.ccls. 709/228.ccls. 709/221.ccls. and encrypt\$3) and standby	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:05
-	2	5920705.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 14:21
-	2702	cisco.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 14:59
-	7066	713/201 713/200	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:20
-	55	(713/201 713/200) and network and server and redund\$3 and key and sequence adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:21

-	51	cisco.as. and switch\$3 and sequence adj number and (secure security)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:22
-	69	back\$1up with secure with communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:22
-	35	cisco.as. and switch\$3 and sequence adj number and (secure security) and (fail\$3 redund\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:22
-	41	back\$1up with secure adj (communication channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:22
-	47	((713/201 713/200) and network and server and redund\$3 and key and sequence adj number) not (cisco.as. and switch\$3 and sequence adj number and (secure security)) not (cisco.as. and switch\$3 and sequence adj number and (secure security) and (fail\$3 redund\$3)) not (back\$1up with secure with communication) not (back\$1up with secure adj (communication channel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:35
-	16382	network and blade	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:36
-	31	(713/201 713/200) and (network and blade)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 13:21
-	47	network and (encryp\$4 cryptograph\$5) and number and communicat\$3 and blade and redund\$5 and server and router and gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 13:27
-	12	(network and (encryp\$4 cryptograph\$5) and number and communicat\$3 and blade and redund\$5 and server and router and gateway) and cluster	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 13:27
-	16	6006259.URPN.	USPAT	2004/07/21 13:29
-	4	6006259.URPN. and (encrypt\$4 cryptograph\$6)	USPAT	2004/07/21 13:38

-	132	back-up adj communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 13:39
-	4	(back-up adj communication) and (encrypt\$4 cryptograph\$6)	USPAT	2004/07/21 13:39
-	103	back-up adj connection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 13:39
-	29	(back-up adj connection) and (encrypt\$4 cryptograph\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 13:39
-	30	switch\$3 with security with association	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 14:26
-	10	switch\$3 with security near2 association	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 14:51
-	39	chang\$3 with security near2 association	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 14:51
-	38	(chang\$3 with security near2 association) not (switch\$3 with security near2 association)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 15:24
-	0	redundacy adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 15:24
-	744	security adj association	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 10:51
-	164	(security adj association) and network adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 15:25

-	45	((security adj association) and network adj device) and sequence adj number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 15:25
---	----	--	---	---------------------